

A water dispersible granule containing a residual contact pyrethroid for the control of American and German cockroaches, houseflies, ants, bedbugs, fleas, fishmoths, wood lice and mosquitoes.

ACTIVE INGREDIENT :

Deltamethrin (pyrethroid)250 g/kg

REGISTRATION HOLDER:

Bayer (Pty.) Ltd. Reg. No. 1968/011192/07
P.O. Box 143, ISANDO 1600, SOUTH AFRICA
TEL: (011) 921 5911

CRACKDOWN® is a registered trademark of Bayer

Batch No.: See container

Date manufactured: See container

UN No. 3077

40 g



Before using this product read the label carefully



Crackdown®
WG250

REG. NO. L7967 Act No. 36 of 1947
Namibian Reg. No. N-AR 0778



CAUTION



A water dispersible granule containing a residual contact pyrethroid for the control of American and German cockroaches, houseflies, ants, bedbugs, fleas, fishmoths, wood lice and mosquitoes.

ACTIVE INGREDIENT :

Deltamethrin (pyrethroid)250 g/kg

REGISTRATION HOLDER:

Bayer (Pty.) Ltd. Reg. No. 1968/011192/07
P.O. Box 143, ISANDO 1600, SOUTH AFRICA
TEL: (011) 921 5911

CRACKDOWN® is a registered trademark of Bayer

Batch No.: See container

Date manufactured: See container

UN No. 3077

40 g

For any product enquiry, contact Bayer - 011 921 5911. For poisoning emergencies only, Griffon Poison Information Centre may also be contacted - 082 446 8946.

© Bayer (Pty.) Ltd. All unauthorized reproduction of this label is forbidden.

www.bayeres.co.za

Bayer

8.

WARNINGS:

Harmful when swallowed or inhaled. **Crackdown® WG 250** may cause transient irritation of the skin, nasal membrane and eyes.

Keep out of reach of children, uninformed persons and animals.

Toxic to fish and harmful to wildlife.

Do not spray directly onto foodstuffs or surfaces on which food is prepared, stored or eaten.

Store in a cool place away from food and feedstuffs.

PRECAUTIONS:

Do not use in the presence of persons with known sensitivity to pyrethroids.

In the case of signs of sensitivity, obtain medical advice.

1.

Wear protective clothing when handling the sachets or diluted spray mixture.

Wear protective gloves, a face shield and mask when applying the diluted washes to surfaces or when working in spray mist.

Avoid skin contact and wash splashes from skin or eyes immediately.

Wash with soap and water after use.

Wash contaminated clothing daily.

Do not eat, drink or smoke whilst mixing or applying or before washing face and hands.

Prevent contamination of food, feedstuffs, drinking water, eating utensils and food preparation equipment.

Destroy empty container and never use for any other purpose.

2.

Fleas: Apply as a residual spray to carpets, skirtings, walls, cupboards, as well as all areas frequented by pets. **Crackdown® WG** is compatible as a tank mix with **Starycide® SC** (L5256) for adult and immature flea control. Follow instructions on **Starycide® SC** label.

Wood lice: Apply as a residual spray to areas where wood lice are found, e.g. under damp vegetation or objects on damp soil. Remove any such items and apply directly to the wood lice. Normally wood lice are easy to control therefore the low infestation rate would be adequate for good control

7.

Houseflies: Apply as a residual spray to surfaces where flies settle, e.g. walls, screen doors, window frames, etc.

Ants: Apply as a residual spray to surfaces over which ants crawl, e.g. skirting boards, window sills and floor tiles. Avoid application to painted cement (e.g. painted walls) and plastic surfaces, because limited ant control can be expected on these surfaces.

Mosquitoes: Apply as a residual spray to surfaces where mosquitoes usually settle, e.g. dark corners, screen doors, ceilings, etc.

Bedbugs: Apply as a residual spray to areas where bedbugs nest, e.g. mattress seams, bed frames, skirting boards, etc.

6.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED.

CRACKDOWN® WG 250 is to be applied by registered pest control operators against pests in private houses as well as in commercial and industrial establishments. The product is suitable for indoor and perimeter treatments, in commercial enterprises, food & beverage processing facilities, offices, factories and warehouses, schools, canteens, homes, hospitals, apartment buildings, animal stalls and ships.

For residual application against American and German cockroaches, adult houseflies, ants bedbugs, fleas and adult mosquitoes:

3.

Dosage: EZidose application rates

| 2 x 5 m = 10 m ² (1 car parking space) | | No. of trigger pulls = WG granules (g) | Water in Litres | Area Covered |
|------------------------------------------------------|--------------------|----------------------------------------|-----------------|--------------------|
| Crawling insects | Heavy infestations | 1 pull = 0.5 g | 0.5 | 10 m ² |
| | | 2 pulls = 1.0 g | 1.0 | 20 m ² |
| | | 3 pulls = 1.5 g | 1.5 | 30 m ² |
| | | 4 pulls = 2.0 g | 2.0 | 40 m ² |
| | | 5 pulls = 2.5 g | 2.5 | 50 m ² |
| Crawling insects | Low infestations | 1 pull = 0.5 g | 1.0 | 20 m ² |
| | | 2 pulls = 1.0 g | 2.0 | 40 m ² |
| | | 3 pulls = 1.5 g | 3.0 | 60 m ² |
| | | 4 pulls = 2.0 g | 4.0 | 80 m ² |
| | | 5 pulls = 2.5 g | 5.0 | 100 m ² |

Mixing instructions:

EZidose application: Attach bottle to the **EZidoze** dispenser. Press on trigger to release **CRACKDOWN® WG 250** granules into the spray tank, containing the correct volume of water (see table). Close spray tank and **shake well before use**. Repeat treatment when necessary. Up to 6 weeks of residual activity can be expected under favourable conditions.

American and German cockroaches: Apply as a residual spray to skirting boards, cracks, crevices and other places where insects may hide. Also apply to adjacent exposed surfaces where insects may crawl when they come out of hiding.