



**QUICKBAYT® SPRAY**  
Fly Bait / Vlieglokaas

REG. NO. L7802 Act No. 36 of 1947  
Namibian Reg. No. N-AR 0766

REG. NR. L7802 Nr. 36 van 1947  
Namibiese Reg. Nr. N-AR 0766

AN ATTRACTIVE SPRAYABLE FLY BAIT WITH LONG RESIDUAL ACTION FOR THE CONTROL OF HOUSEFLIES IN AND AROUND ANIMAL HOUSING, REFUSE TIPS, FOOD HANDLING PLANTS AND OUTSIDE DOMESTIC AND INDUSTRIAL PREMISES.

'N AANLOKLIKE SPUITBARE VLIEËLOKAAS MET 'N LANG RESIDUALE WERKING VIR DIE BEHEER VAN HUISVLIEË IN EN RONDOM DIERESKUILINGS, AFVALHOPE, VOEDSELVERWERKINGSPERSELE EN RONDOM HUISHOUDELIKE EN INDUSTRIËLE PERSELE.

**ACTIVE INGREDIENTS / AKTIEWE BESTANDELE:**

Imidacloprid  
Tricosene

100 g/kg  
1 g/kg

Imidakloprid  
Trikoseen

NET CONTENTS: / NETTO INHOUD: 62.5 g

**REGISTRATION HOLDER / REGISTRASIEHOUER:**

Bayer (Pty.) Ltd. / (Edms.) Bpk.  
Reg. No. / Nr. 1968/011192/07  
P.O. Box / Posbus 143  
ISANDO 1600  
SOUTH AFRICA / SUID-AFRIKA  
TEL: (011) 921 5911

Batch no. / Lotnommer:

Date manufactured / Datum vervaardig:

QUICKBAYT® is a registered trademark of Bayer / is 'n geregistreerde handelsmerk van Bayer.



### **WARNINGS:**

Handle with care.  
Harmful when swallowed, inhaled or absorbed through the skin.  
Toxic to bees, fish and wildlife.  
Keep out of reach of children, animals and uninformed persons.  
Store away from food and foodstuffs.

### **PRECAUTIONS:**

Wear gloves during application.  
Do not apply bait to surfaces on which food or feed is stored, prepared or eaten.  
Wash immediately with soap and water after accidental skin contact.  
In case of contact with eyes, rinse thoroughly with water.  
Do not eat, drink or smoke whilst mixing and applying or before washing face and hands.  
Prevent contamination of foodstuffs, food utensils and drinking water.  
Place bait out of reach of children, animals and pets.  
Do not contaminate dams, drains, ponds, streams and other waterways with the product or used containers.  
Clean application equipment after use with lukewarm water.  
Do not re-use container for any other purpose.

### **DIRECTIONS FOR USE: USE ONLY AS DIRECTED.**

**QuickBayt® Spray** has a fast knockdown effect on houseflies and a residual efficacy up to 4 weeks in animal housing facilities. **Quickbayt® Spray** can be applied in and around animal housing, such as piggeries, horse stables, cow-sheds and poultry houses, refuse tips, food handling plants and around industrial and domestic premises. **Quickbayt® Spray** is not suitable for direct manure treatment.

Apply **Quickbayt® Spray** where flies tend to congregate. Do not apply the product where bait can be removed by animals licking the bait. Do not apply to animals, feed or drinking supplies, or to areas with which humans comes into contact, e.g. stable gates.

#### **Spray-on application:**

The product is to be used as a coarse spray using low pressure (~ 1 bar). Apply **QuickBayt® Spray** at an application rate of 62.5 g / 1 ℓ water / 25 m<sup>2</sup> ground area to the outside of feed troughs, walls up to 2 m high, the sides of rubbish containers and other areas where flies congregate. Shake the mixture well. Repeat treatment at 4 weeks intervals.

#### **Paint-on application:**

Mix 62.5 g **QuickBayt® Spray** with 50 ml warm water and apply with a brush in patches of ±50 mm x ±200 mm each. The 62.5 g / 50 ml mixture will be sufficient to treat an area of 25 m<sup>2</sup> in the prescribed manner. Repeat treatment as soon as fly pressure exceeds acceptable threshold levels.

**QUICKBAYT®** is a registered trademark of Bayer.

© Bayer (Pty) Ltd. All unauthorized reproduction of this label is forbidden.

## **WAARSKUWINGS:**

Hanteer versigtig.

Giftig indien ingesluk, ingeasem of deur die vel geabsorbeer word.

Giftig vir bye, vis en wild.

Hou buite die bereik van kinders, diere en oningeligte persone.

Bêre weg van voedsel en voer.

## **VOORSORGMATREËLS:**

Dra handskoene tydens gebruik.

Moet nie op oppervlakke toedien waar voedsel of voer geberg, voorberei of geëet word nie.

Was onmiddelik met seep en water na toevallige velkontak.

In die geval van kontak met oë, spoel deeglik uit met water.

Moet nie eet, drink of rook tydens vermening en toediening, of voordat die hande en gesig gewas is nie.

Voorkom besoedeling van voedsel, eetgerei en drinkwater.

Plaas aas buite bereik van kinders, diere en troeteldiere.

Moet nie damme, rirole, poele, slote of ander waterweë met chemikalieë of gebruikte houer besoedel nie.

Maak toedieningsapparaat met loutwarm water skoon na gebruik.

Moenie leë houer vir enige ander doel gebruik nie.

## **GEBRUIKSAANWYSINGS:** GEBRUIK SLEGS SOOS AANGEDUI.

**QuickBayt® Spray** het 'n vinnige uitklop effek op huisvlieë en 'n residuele werking van tot 4 weke in diereskuilings. **QuickBayt® Spray** kan in en rondom diereskuilings, bv. vark-, perde- en koeistalle en hoenderhuise, asook afvalhope, voedselverwerkingspersele en rondom industriële en huishoudelike persele toegedien word. **QuickBayt® Spray** is nie geskik vir die direkte behandeling van mis nie.

Dien **QuickBayt® Spray** toe waar vlieë gewoonlik vergader. Moet nie die produk toedien waar diere dit kan aflek nie. Moet nie op diere, voer of drinkwater, of op areas waarmee mense in aanraking kom, bv. stalhekke, toedien nie.

### **Spuit-aan toediening:**

Die produk moet gebruik word as 'n growwe bespuiting deur gebruik te maak van lae druk (~ 1 bar). Dien **QuickBayt® Spray** toe teen 62.5 g / 1 ℓ water / 25 m<sup>2</sup> grond area. Behandel die buitekant van voertroe, mure tot 'n hoogte van 2 m, kante van vullishouers en ander areas waar vlieë vergader. Skud die mengsel goed. Herhaal behandeling elke 4 weke.

### **Verf-aan toediening:**

Meng 62.5 g **QuickBayt® Spray** met 50 ml warm water en dien toe met 'n kwas as stroke van ±50 mm x ±200 mm elk. Die 62.5 g / 50 ml mengsel sal genoeg wees om 'n area van 25 m<sup>2</sup> te behandel op die voorgeskrewe manier. Herhaal behandeling wanneer die vliegbevolking aanvaarbare getalle oorskry.

**QUICKBAYT®** is 'n geregistreerde handelsmerk van Bayer.

© Bayer (Edms.) Bpk. Alle onregmatige kopieëring van die etiket is verbode.